



Π ΠΡΟΦΙΛ-U PROFILES




Profil No	a mm	b mm	s mm	Kg/m
2849	12.7	10.5	1.0	0.085
3167	13	27.7	1.2	0.217
4104	14	20	3.0	0.391
4200	15	15	2.0	0.222
140	15	30	3.0	0.560
408	16	20	2.0	0.282
142	17	17	1.2	0.158
3132	17.6	11	1.6	0.155
220	18	20	1.1	0.166
938	19	8	2.0	0.168
4201	20	20	2.0	0.303
4202	20	30	2.0	0.411
4203	20	40	2.0	0.520
1564	21.9	25	1.2	0.225
2535	26	22	3.0	0.520
845	27	25	1.2	0.250
2459	32.8	40	3.0	0.868
221	40.6	40.6	3.0	0.941
634	42	35	1.3	0.385
1258	43.2	40	1.2	0.392
2334	43.5	20.5	1.2	0.267
3859	45.4	21	1.3	0.298
2496	53	10	1.5	0.284
2830	100	75	7.0	4.590
2831	150	75	7.0	5.538
382	161	30	2.0	1.176
379	166	30	2.0	1.202

ΓΩΝΙΕΣ-CORNER




Profil No	a mm	s mm	Kg/m
189	15	1.3	0.101
208	15	1.5	0.117
163	20	1.2	0.126
209	20	2.0	0.206
162	25	1.2	0.158
210	25	2.0	0.260
161	30	1.2	0.191
2141	40	1.2	0.256
2458	40	2.0	0.422
3926	40	3.0	0.625
164	40	4.0	0.823
270	50	5.0	1.287
3756	50	1.5	0.400
2200	60	1.5	0.482
2475	60	2.0	0.639
2201	80	1.5	0.644
2544	90	15	6.696

KARE



Profil No	a mm	s mm	Kg/m
1576	10	1.8	0.160
1409	14	2.0	0.258
3752	20	1.2	0.245
212	25	1.5	0.382
274	25	2.0	0.499
275	25	2.5	0.609
213	30	1.5	0.463
214	35	1.5	0.545
116	40	1.1	0.464
215	40	1.5	0.626
3925	40	3.0	1.202
3067	45	2.0	0.932
3124	50	1.8	0.940
627	50	2.0	1.040
3923	50	3.0	1.528
4103	53.8	6.7	3.421
2611	60	1.5	0.951
3927	60	3.0	1.853
2612	80	2.0	1.691
629	94	2.0	1.994
2613	100	2.0	2.124

KARE




Profil No	a mm	b mm	s mm	Kg/m
3892	12.4	10	1.0	0.108
3716	15	12.5	1.2	0.162
271	16	9	1.2	0.147
1261	25	15	1.2	0.244
167	25	17	1.1	0.237
2824	30	11	1.5	0.307
4106	37.4	30.4	2.5	0.851
298	40	20	1.0	0.314
230	40	20	1.2	0.374
489	40	20	1.7	0.521
3905	40	20	1.8	0.550
226	40	30	1.1	0.410
3043	50	20	1.8	0.648
2384	50	30	3.0	1.203
129	50	40	1.1	0.523
2471	60	13	1.8	0.676
411	60	20	1.2	0.504
1236	60	40	1.3	0.686
2987	60	40	1.8	0.940
239	67	21	1.3	0.601
128	75	32	1.1	0.625
168	75	32	1.4	0.790
406	80	20	1.2	0.635
1413	80	40	1.3	0.827
232	80	40	2.0	1.257
3928	80	40	3.0	1.853
722	90	50	1.7	1.259
628	94	50	2.0	1.516
3830	100	14	1.5	0.903
2204	100	20	1.2	0.765
3816	100	20	2.0	1.257
1237	100	50	1.8	1.428
419	120	60	2.0	1.908
197	150	50	2.0	2.125
1145	170	40	2.0	2.232
2274	200	35	2.2	2.750

ΣΩΛΗΝΕΣ-TUBES



Profil No	D mm	d mm	s mm	Kg/m
1047	8	5	1.5	0.083
3099	8	6	1.0	0.058
1573	10	5	2.5	0.160
3098	12.5	9.1	1.7	0.156
2618	13	10.6	1.2	0.121
3112	14.6	10	2.3	0.241
916	15.8	6	4.9	0.454
471	15.8	7	4.4	0.427
3148	15.8	8	3.9	0.395
492	15.8	9.8	3.0	0.327
1234	15.8	12	1.9	0.224
2878	15.8	13	1.4	0.172
925	16	12	2.0	0.240
1229	18.3	16.3	1.0	0.147
3097	19	13	3.0	0.409
976	19	14	2.5	0.353
919	19	16.6	1.2	0.181
2687	19.4	16.4	1.5	0.229
914	19.8	12.2	3.8	0.517
915	20	5	7.5	0.795
2610	20	7	6.5	0.747
977	20	12	4.0	0.545
1572	20	14	3.0	0.434
905	20	15	2.5	0.372
3922	20	17.6	1.2	0.192
2563	20	18	1.0	0.163
926	22	16.4	2.8	0.458
2974	24	5	9.5	1.173
2662	24	7	8.5	1.122
699	24	14	5.0	0.810
698	24	16.5	3.75	0.647
979	24	18	3.0	0.537
901	25	18.5	3.25	0.602
918	25	22.4	1.3	0.262
927	27.5	22.4	2.55	0.542
906	29.5	20	4.75	0.999
1582	29.5	25	2.25	0.550
3753	30	6	12.0	1.839
931	30	10	10.0	1.702
924	30	14.1	7.95	1.492
2177	30	16.5	6.75	1.336
2477	30	20	5.0	1.065
978	30	22	4.0	0.886
908	30	24	3.0	0.690
1571	30	26	2.0	0.477
3327	30	27	1.5	0.364
3326	35	31	2.0	0.562
1575	35	29	3.0	0.817
1017	35	6.5	14.25	2.517
995	35	8.5	13.25	2.452
904	35	28.5	3.25	0.879
476	35	30.3	2.35	0.653
1012	40	30.5	4.75	1.425
910	40	35	2.5	0.798

ΣΩΛΗΝΕΣ-TUBES



Profil No	D mm	d mm	s mm	Kg/m
3826	40	36	2.0	0.647
2906	40	37.4	1.3	0.428
1015	40.2	10	15.1	3.296
3839	40.2	13	13.6	3.080
1420	44.3	40.3	2.0	0.720
2059	47	20.5	13.25	3.807
903	44.8	20.5	12.15	3.377
4052	45	35	5.0	1.702
2068	50	10	20.0	5.108
3812	50	7	21.5	5.217
932	50	44.1	2.95	1.182
917	50	45	2.5	1.011
3066	50	45.6	2.2	0.895
896	50	46	2.0	0.817
2984	50	46.4	1.8	0.738
2622	50	47	1.5	0.620
755	50	47.4	1.3	0.541
2845	53	40.5	6.25	2.488
2845	53.5	50.5	1.5	0.664
2846	54.5	50.5	2.0	0.894
2799	55	40.5	7.25	2.947
1016	55.3	50.3	2.5	1.123
1276	56.5	52.5	2.0	0.928
2663	60	58	1.0	0.503
1014	60	20.5	19.75	6.767
3924	60	50	5.0	2.341
909	60	55	2.5	1.223
1295	63.5	60.5	1.5	0.792
968	65	60.3	2.35	1.254
920	68	56	6.0	3.120
786	70	67	1.5	0.874
4051	70	40.3	14.9	6.991
913	72	40.2	15.9	7.596
2064	75	45	15	7.662
3144	76	72	2.0	1.260
1290	76.1	73.1	1.5	0.954
3813	80	76	2.0	1.328
2664	80	78	1.0	0.673
912	82	50.2	15.9	8.948
4053	85	75	5.0	3.405
2538	90	86	2.0	1.498
1038	92	28	32	16.346
2599	95	36	29.5	16.451
2665	100	97.8	1.1	0.926
2666	103	100.8	1.1	0.954
2687	106	70	18.0	13.486
2053	125	50	37.5	27.936
1274	127	45	41	30.019
930	130	47	41.5	31.267
949	135	55	40.0	32.352
934	150	145	2.5	3.139
921	151.5	48.25	51.625	43.897
933	155	145	5.0	6.385
2596	180	174	3.0	4.520